Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		(cost\$3 near2 time\$ near2 barcode\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/05 19:36
		(automatic\$5 adj2 (match\$5)) with (part\$5 adj2 (identification\$5 id)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 13:33
L1	2	jp-09114150-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/05 16:13
L2	2	("5722029").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 17:40
L3	2	("4602776").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 17:40
L4	0	(automatic\$5 adj2 (match\$5)) with (serial\$5 part\$5) adj2 manufactur\$5 near4 number\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/05 18:14
L5	2	("20010021036").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 18:14
L6	4373	(interrupt\$5 adj2 print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/05 18:14

			_			
L7	0	mixed adj2 stack\$5 same printer45	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/05 18:14
L8	27	(correlat\$5 with serial\$2 adj2 number\$2) with order\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/05 18:14
L9	6	(part\$5 adj1 number\$5 adj2 match\$5) with print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/05 18:14
L10	0	interleav\$5 adj2 sheet\$5 with jam\$5 adj2 recover\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/05 18:14
L11	2	("20050152711").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 18:14
L12	27	(correlat\$5 with serial\$2 adj2 number\$2) with order\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/05 18:14
L13	28	("4602776").URPN.	USPAT	OR	ON	2006/07/05 18:57
L14	2	("6097497").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 20:44
L15	2	("4617580").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 19:02
L16	2	("6335084").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 19:04

			_	·		
L17	2	("6353479").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 19:08
L18	2	("5488223").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 19:09
L19	2	("6854641").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 19:27
L20	3 45	(advantag\$3 near2 barcode\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/05 19:36
L21	0	20 and @ad<"02072000"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/05 19:30
L22	149	20 and @ad<"20000207"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/05 19:37
L23	91	(cost\$3 near2 barcode\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/05 19:37
L24	30	23 and @ad<"20000207"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/05 19:37

L25	16564	(358/1.12, 358/1.2, 358/1.9, 358/1. 11, 358/1.13-1.16).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/05 20:45
S1	2	("20010021036").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 17:18
S2	4	(("5159546") or ("4602776")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 17:29
S3	4150	(interrupt\$5 adj2 print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 17:20
S4	4	(interrupt\$5 adj2 print\$5) with insert\$5 adj2 paper	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 17:20
S5	1	(interrupt\$5 adj2 print\$5) with interleave\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 17:21
S6	0	(interrupt\$5 adj2 print\$5) with interleav\$5 adj2 sheet\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 17:21
S7	0	(interrupt\$5 adj2 print\$5) same interleav\$5 adj2 sheet\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 17:21
S8	0	interleav\$5 adj2 sheet\$5 with jam\$5 adj2 recover\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 17:22

LAST Scarcii History						
S9	0	mixed adj2 stack\$5 same printer45	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 17:29
S10	11	mixed adj2 stack\$5 same printer\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 17:33
S11	2	("20050152711").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 17:32
S12	11	mixed adj2 stack\$5 same imag\$5 adj1 form\$5 adj2 apparatus\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 11:09
S13	425	(correlat\$5 with part\$5 adj2 number\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 11:10
S14	27	(correlat\$5 with part\$5 adj2 number\$2) with order\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 11:11
S15	26	(correlat\$5 with serial\$2 adj2 number\$2) with order\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 12:42
S16	48	(input\$5 convert\$5 correspond\$5) with (manufactur\$5 adj2 part\$5 adj2 number\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 12:52
S17	0	(2002/0188528).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 12:52
S18	2	("20020188528").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 12:56

	LAST Scarcii History							
S19	2	("20020178077").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 12:57		
S20	2	("6,282,318").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 12:57		
S21	0	(part\$5 adj2 match\$5) with print\$5 adj2 consumabl\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 12:58		
S22	0	(part\$5 adj2 match\$5) with image\$5 adj2 consumabl\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 12:58		
S23	0	(part\$5 adj2 match\$5) with image\$5 near5 consumabl\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 12:58		
S24	14104	(part\$5 adj2 match\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 12:58		
S25	160	(part\$5 adj1 number\$5 adj2 match\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 12:59		
S26	6	(part\$5 adj1 number\$5 adj2 match\$5) with print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 13:00		
S27	19	(imag\$5 adj1 form\$5 adj2 apparatus\$5 printer\$5 copy adj2 machine\$2 copier\$5) with (order\$5) with (part\$5 adj2 number\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 13:01		
S28	20	(imag\$5 adj1 form\$5 adj2 apparatus\$5 printer\$5 copy adj2 machine\$2 copier\$5) with (order\$5 purchas\$5) with (part\$5 adj2 number\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 13:09		

			-			
529	50	(imag\$5 adj1 form\$5 adj2 apparatus\$5 printer\$5 copy adj2 machine\$2 copier\$5) with (order\$5 purchas\$5) same (part\$5 adj2 number\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 13:09
S30	106	(imag\$5 adj1 form\$5 adj2 apparatus\$5 printer\$5 copy adj2 machine\$2 copier\$5) same (order\$5 purchas\$5) same (part\$5 adj2 number\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 13:09
S31	86	S30 not S28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 13:11
S32	45	S31 and @ad<"20000101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 13:29
S33	23	(automatic\$5 adj2 (correspond\$5 convert\$5 configur\$5 match\$5)) with (serial\$5 part\$5) adj2 number\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 13:28
S34	2	("20010021167").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 13:17
S35	2	("20010023376").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 13:18
S36	2	("6,115,690").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 13:23
S37	4	(Uchida near4 Jinichi).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 13:25
S38	2	jp-2004134505-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 13:25

	EAST Scarcii History							
S39	0	(automatic\$5 adj2 (correlat\$5)) with (serial\$5 part\$5) adj2 number\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 13:26		
S40	11	(automatic\$5 with (correlat\$5)) with (serial\$5 part\$5) adj2 number\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 13:26		
S41	235	(automatic\$5 with (correspond\$5 convert\$5 configur\$5 match\$5)) with (serial\$5 part\$5) adj2 number\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 13:32		
S42	131	S41 and @ad<"20001202"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 13:29		
S43	0	(automatic\$5 adj2 (match\$5)) with (serial\$5 part\$5) adj2 manufactur\$5 near4 number\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 13:32		
S44	0	(automatic\$5 adj2 (match\$5)) with manufactur\$5 near4 number\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 13:32		
S45	1	(automatic\$5 adj2 (match\$5)) with (product\$5 adj2 number\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 13:33		
S46	1	(automatic\$5 adj2 (match\$5)) with (part\$5 adj2 (identification\$5 id))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 14:49		
S47	2	("20030072030").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 14:54		
S48	2	("20030184785").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 14:52		

S49	2	("20030011799").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 15:29
S50	2	("20030072030").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 15:29
S51	4	(("5159546") or ("4602776")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/14 12:16
S52	2	("4248525").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/14 12:37
S53	2	("4602776").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/14 12:37
S54	28	("4602776").URPN.	USPAT	OR	ON	2006/01/14 14:42
S55	2	("5124731").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/14 14:42